

# Safety Data Sheet



Revision Number: 001.2

Issue date: 07/13/2020

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name:** Loctite Extreme Glue  
**Product type/use:** Adhesive  
**Restriction of Use:** None identified  
**Company address:**  
Henkel Corporation  
One Henkel Way  
Rocky Hill, Connecticut 06067

**IDH number:** 2627062  
**Region:** United States  
**Contact information:**  
Telephone: +1 (860) 571-5100  
MEDICAL EMERGENCY Phone: Poison Control Center  
1-877-671-4608 (toll free) or 1-303-592-1711  
TRANSPORT EMERGENCY Phone: CHEMTREC  
1-800-424-9300 (toll free) or 1-703-527-3887  
Internet: www.henkelna.com

## 2. HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

**WARNING:** COMBUSTIBLE LIQUID.  
MAY CAUSE AN ALLERGIC SKIN REACTION.  
CAUSES SERIOUS EYE IRRITATION.

| HAZARD CLASS       | HAZARD CATEGORY |
|--------------------|-----------------|
| FLAMMABLE LIQUID   | 4               |
| EYE IRRITATION     | 2A              |
| SKIN SENSITIZATION | 1               |

### PICTOGRAM(S)



### Precautionary Statements

**Prevention:** Keep away from heat, sparks, open flames, hot surfaces - no smoking. Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, eye protection, and face protection.

**Response:** IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention. Wash contaminated clothing before reuse. In case of fire: Use foam, dry chemical or carbon dioxide to extinguish.

**Storage:** Store in a well-ventilated place. Keep cool.

**Disposal:** Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s)                 | CAS Number  | Percentage* |
|----------------------------------------|-------------|-------------|
| Silica, amorphous, fumed, crystal-free | 112945-52-5 | 10 - 20     |
| Trimethoxyvinylsilane                  | 2768-02-7   | 1 - 5       |

\* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

IDH number: 2627062

Product name: Loctite Extreme Glue

#### 4. FIRST AID MEASURES

|                            |                                                                                                                                                |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation:</b>         | Move to fresh air, consult doctor if complaint persists.                                                                                       |
| <b>Skin contact:</b>       | Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.                                                 |
| <b>Eye contact:</b>        | Rinse immediately with plenty of running water, seek medical advice if necessary.                                                              |
| <b>Ingestion:</b>          | Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice. DO NOT induce vomiting unless directed to do so by medical personnel. |
| <b>Symptoms:</b>           | See Section 11.                                                                                                                                |
| <b>Notes to physician:</b> | Treat symptomatically and supportively.                                                                                                        |

#### 5. FIRE FIGHTING MEASURES

|                                           |                                                                                                     |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Extinguishing media:</b>               | carbon dioxide, foam, powder, water spray jet, fine water spray                                     |
| <b>Special firefighting procedures:</b>   | Wear protective equipment. Wear self-contained breathing apparatus.                                 |
| <b>Unusual fire or explosion hazards:</b> | In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO <sub>2</sub> ) can be released. |
| <b>Hazardous combustion products:</b>     | Irritating and toxic gases or fumes may be released during a fire.                                  |

#### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

|                                   |                                                                                                                                 |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <b>Environmental precautions:</b> | Do not empty into drains / surface water / ground water.                                                                        |
| <b>Clean-up methods:</b>          | Remove with liquid-absorbing material (sand, peat, sawdust). Dispose of contaminated material as waste according to Section 13. |

#### 7. HANDLING AND STORAGE

|                  |                                                                                                                                                                                                  |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Handling:</b> | Do not handle or store near an open flame, heat or other sources of ignition. Avoid skin and eye contact. Keep in a cool, well ventilated area. Ensure that workrooms are adequately ventilated. |
| <b>Storage:</b>  | Ensure adequate ventilation. Store in sealed original container. Store in a dry place.                                                                                                           |

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s)                 | ACGIH TLV                                                                                      | OSHA PEL                                  | AIHA WEEL | OTHER |
|----------------------------------------|------------------------------------------------------------------------------------------------|-------------------------------------------|-----------|-------|
| Silica, amorphous, fumed, crystal-free | 10 mg/m <sup>3</sup> TWA<br>Inhalable dust.<br>3 mg/m <sup>3</sup> TWA<br>Respirable fraction. | 20 MPPCF TWA<br>0.8 mg/m <sup>3</sup> TWA | None      | None  |
| Trimethoxyvinylsilane                  | None                                                                                           | None                                      | None      | None  |

|                                |                                                                                                                                 |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <b>Engineering controls:</b>   | Use local ventilation if general ventilation is insufficient to maintain vapor concentration below established exposure limits. |
| <b>Respiratory protection:</b> | Use NIOSH approved respirator if there is potential to exceed exposure limit(s).                                                |
| <b>Eye/face protection:</b>    | Wear safety glasses; chemical goggles (if splashing is possible).                                                               |

**Skin protection:**

Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

|                                          |                                                                                                                       |
|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Physical state:                          | liquid                                                                                                                |
| Color:                                   | Clear                                                                                                                 |
| Odor:                                    | almost odorless                                                                                                       |
| Odor threshold:                          | Not available.                                                                                                        |
| pH:                                      | Not available.                                                                                                        |
| Vapor pressure:                          | Not available.                                                                                                        |
| Boiling point/range:                     | Not available.                                                                                                        |
| Melting point/ range:                    | Not available.                                                                                                        |
| Specific gravity:                        | 1.13                                                                                                                  |
| Vapor density:                           | Not available.                                                                                                        |
| Flash point:                             | 66.0 °C (150.8 °F) no method                                                                                          |
| Flammable/Explosive limits - lower:      | Not available.                                                                                                        |
| Flammable/Explosive limits - upper:      | Not available.                                                                                                        |
| Autoignition temperature:                | Not available.                                                                                                        |
| Flammability:                            | Not applicable                                                                                                        |
| Evaporation rate:                        | Not available.                                                                                                        |
| Solubility in water:                     | Not available.                                                                                                        |
| Partition coefficient (n-octanol/water): | Not available.                                                                                                        |
| VOC content:                             | 5.2 %; 105 g/l (by weight, calculated using CARB method; g/L less water, less exempts calculated using SCAQMD method) |
| Viscosity:                               | Not available.                                                                                                        |
| Decomposition temperature:               | Not available.                                                                                                        |

**10. STABILITY AND REACTIVITY**

|                                   |                                    |
|-----------------------------------|------------------------------------|
| Stability:                        | Stable at normal conditions.       |
| Hazardous reactions:              | None under normal processing.      |
| Hazardous decomposition products: | Evolves methanol during cure.      |
| Incompatible materials:           | None if used for intended purpose. |
| Reactivity:                       | Not available.                     |
| Conditions to avoid:              | None if used for intended purpose. |

**11. TOXICOLOGICAL INFORMATION**

**Relevant routes of exposure:** Skin, Inhalation, Eyes, Ingestion

**Potential Health Effects/Symptoms**

|                      |                                                                                                                                                                                    |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation:</b>   | This product is irritating to the respiratory system. Methanol is released during application and cure, which may affect the nervous system causing dizziness, headache or nausea. |
| <b>Skin contact:</b> | May cause skin irritation.                                                                                                                                                         |
| <b>Eye contact:</b>  | Causes serious eye irritation.                                                                                                                                                     |
| <b>Ingestion:</b>    | May cause irritation of the stomach                                                                                                                                                |

| Hazardous Component(s)                 | LD50s and LC50s | Immediate and Delayed Health Effects |
|----------------------------------------|-----------------|--------------------------------------|
| Silica, amorphous, fumed, crystal-free | None            | Nuisance dust                        |
| Trimethoxyvinylsilane                  | None            | Irritant, Allergen                   |

| Hazardous Component(s)                 | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen<br>(Specifically Regulated) |
|----------------------------------------|----------------|-----------------|---------------------------------------------|
| Silica, amorphous, fumed, crystal-free | No             | No              | No                                          |
| Trimethoxyvinylsilane                  | No             | No              | No                                          |

**12. ECOLOGICAL INFORMATION**

**Ecological information:** Not available.

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

|                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Recommended method of disposal:</b> | Follow all local, state, federal and provincial regulations for disposal.                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Hazardous waste number:</b>         | It is the responsibility of the user to determine if an item is hazardous as defined in the Resource Conservation and Recovery Act (RCRA) at the time of disposal. Product uses, transformations, mixtures, processes, etc., may render the resulting material hazardous, under the criteria of ignitability, corrosivity, reactivity and toxicity characteristics of the Toxicity Characteristics Leaching Procedure (TCLP) 40 CFR 261.20-24. |

## 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

### U.S. Department of Transportation Ground (49 CFR)

|                                  |                                                    |
|----------------------------------|----------------------------------------------------|
| <b>Proper shipping name:</b>     | Combustible liquid, n.o.s. (Vinyltrimethoxysilane) |
| <b>Hazard class or division:</b> | Combustible Liquid                                 |
| <b>Identification number:</b>    | NA 1993                                            |
| <b>Packing group:</b>            | III                                                |

### International Air Transportation (ICAO/IATA)

|                                  |               |
|----------------------------------|---------------|
| <b>Proper shipping name:</b>     | Not regulated |
| <b>Hazard class or division:</b> | None          |
| <b>Identification number:</b>    | None          |
| <b>Packing group:</b>            | None          |

### Water Transportation (IMO/IMDG)

|                                  |               |
|----------------------------------|---------------|
| <b>Proper shipping name:</b>     | Not regulated |
| <b>Hazard class or division:</b> | None          |
| <b>Identification number:</b>    | None          |
| <b>Packing group:</b>            | None          |

## 15. REGULATORY INFORMATION

### United States Regulatory Information

|                                         |                                                                                                                                                                                                         |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>TSCA 8 (b) Inventory Status:</b>     | All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory.                                                                                    |
| <b>TSCA 12 (b) Export Notification:</b> | None above reporting de minimis                                                                                                                                                                         |
| <b>CERCLA/SARA Section 302 EHS:</b>     | None above reporting de minimis.                                                                                                                                                                        |
| <b>CERCLA/SARA Section 311/312:</b>     | Immediate Health, Fire                                                                                                                                                                                  |
| <b>CERCLA/SARA Section 313:</b>         | None above reporting de minimis.                                                                                                                                                                        |
| <b>California Proposition 65:</b>       | This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. |

### Canada Regulatory Information

|                             |                                                                                                   |
|-----------------------------|---------------------------------------------------------------------------------------------------|
| <b>CEPA DSL/NDL Status:</b> | All components are listed on or are exempt from listing on the Canadian Domestic Substances List. |
|-----------------------------|---------------------------------------------------------------------------------------------------|

## 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: First issue.

**Prepared by:** Regulatory Affairs

**Issue date:** 07/13/2020

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.